


#### FOR THE GLACIER PARK AND FLATHEAD & KOOTENAI NATIONAL FOREST AREAS

Avalanche advisory does not apply to developed ski areas

Issue Date: Valid Until: Next Update: Issued by: **5:30 AM, Friday, March 23, 2012** Midnight, Friday, March 23, 2012 Tuesday, March 27, 2012 Stan Bones

This advisory is a product of the US Forest Service, US Dept. of Agriculture. Along with other snow and avalanche information, it is originally posted at <a href="http://www.fs.usda.gov/flathead">http://www.fs.usda.gov/flathead</a>. An audio summary is available via telephone at 406-257-8402

### **All Mountain Ranges**



# Avalanche Danger Summary

3 -Considerable : 5,500 to 7,500 ft. elevation, on steep, open slopes and gullies, especially in areas with significant amounts of new precipitation falling as snow or rain

2 - Mod : below 5,500

### Avalanche Danger Trend

AVALANCHE INCTABILITY

**Expect** a gradual downturn in dry-snow avalanche danger as conditions dry

↑ Expect an increase in the wet-snow avalanche danger Sunday as temperatures warm and skies become partly cloudy

AVALANCHE - INSTABILITY DESCRIPTION			
		All Mountain Ranges - 5,500 to 7,500 ft. elevation	
Danger Level	3 - CONSIDERABLE		
Confidence	Good		
Travel Advice	<ul> <li>Dangerous avalanche conditions</li> <li>Careful snowpack evaluation, cautious route-finding, and conservative decision-making essential</li> </ul>		
Likelihood of Avalanches	<ul> <li>Natural <u>slab</u> and <u>loose</u> snow avalanche <i>possible</i></li> <li>Human triggered avalanches <i>likely</i></li> </ul>		
Avalanche Size & Distribution	<ul> <li>Small avalanches in many areas</li> <li>Larger avalanches in specific areas</li> <li>Very large avalanches in isolated areas</li> <li>Concern is steep slopes and gullies lacking vegetative and terrain anchors in areas that recently received significant new precipitation, either in the form of</li> </ul>		

### AVALANCHE – INSTABILITY DESCRIPTION

All Mou	ntain R	langes –	below 5.	500 ft.	elevation

Danger Level	2 - MODERATE		
Confidence	Good		
Travel Advice	<ul> <li>Heightened avalanche conditions on steep, open slopes and gullies, particularly those that recently were drenched with rain</li> <li>Evaluate snow and terrain carefully</li> </ul>		
Likelihood of Avalanches	<ul> <li>Natural avalanche unlikely</li> <li>Human triggered avalanches possible</li> </ul>		
Avalanche Size & Distribution  Small avalanches in specific areas  Larger avalanches in isolated areas			

Because of the general nature of this advisory message, each backcountry party will always need to make their own time and site specific avalanche hazard evaluations. This advisory best describes conditions at the time of its issuance. As time passes avalanche and snow conditions may change, sometimes quite rapidly. Elevation and geographic distinctions used are approximate and transition zones between hazards exist.

Recent Mountain	Weather
<u>Summary</u>	<ul> <li>This past week was another wet one as two separate Pacific storm systems passed over the region</li> <li>Most all mountain locations received significant new snowfall         <ul> <li>Friday and Saturday</li> <li>Tuesday, Wednesday, and Thursday (morning)</li> </ul> </li> </ul>
Precipitation	<ul> <li>Moist, heavy snowfall has impacted most all locations</li> <li>Most impacted were the southern mtn. ranges</li> <li>Mission, Northern Swan, Southern Whitefish, and East and West Cabinet Ranges</li> <li>4-5 inches of snow water equivalent received over the 7 days</li> <li>Lesser impacted were the northern mtn ranges</li> <li>Purcell, Northern Whitefish, and Lewis and Clark Ranges</li> <li>2-3.5 inches of snow water equivalent received over the 7 days</li> </ul>
Temperature	<ul> <li>Since Monday temperatures have been on a gradual warming trend</li> <li>Tuesday's average daily mountain temperature, 25-degrees F</li> <li>Wednesday's, 27-degrees F</li> <li>Thursday's early morning temperature at many mtn locations, 36-degrees F, generally cooling below freezing by afternoon</li> </ul>
Wind	Intermittent moderate to strong winds generally from the W-SW

Field Observation Locations		
Thursday, 3-22-12	<ul> <li>Whoopee Basin, W Cabinet Range, S of Troy, on the Kootenai</li> <li>Kimmerly Basin, S'ern Whitefish Range, NW of Columbia Falls</li> <li>Snowslip Area, John Stevens Canyon, N of Highway 2 in Glacier Park, W of Marias Pass</li> </ul>	
Tuesday, 3-20-12	Snowslip Area, John Stevens Canyon, N of Highway 2 in Glacier Park, W of Marias Pass	
Observer Report Locations		
	None Received	

Avalanches Observed	<ul> <li>Thursday</li> <li>John Stevens Canyon area W of Marias Pass         <ul> <li>Numerous small to moderate sized wet loose slides released both naturally and triggered</li> <li>Pulling down to buried melt-freeze ice layer approx. 20-inches below snow surface</li> <li>One moderate sized mostly wet, natural, slab release</li> <li>Ran approx 2/3 path</li> </ul> </li> <li>Kimmerly Basin area of southern Whitefish Range, NW of Columbia Falls</li> <ul> <li>Glide crack opened, but not avalanched, at top of large S facing avalanche path</li> <li>Full depth crack opened approx. 30-feet</li> </ul> </ul>

Instability Concern / Avalanche Problem	Level of Concern	Most★★★ Less★★ Least ★		
New Storm or Near Surface Snow	***	Significant precipitation loading Friday and Saturday of last week, continuing again Tuesday through Thursday at most all mountain locations     Intermittent rain on snow particularly at valley levels and lower elevations  Tuesday through Thursday  Mission, Northern Swan, Southern Whitefish, and East and West Cabinet Ranges  Approx. 2.0 to 3.5-inches of new snow water equivalent Purcell, Northern Whitefish, and Lewis and Clark Ranges  Approx. 1.0 to 2.0-inches of new snow water equivalent  Thursday morning's warming produced inverted snowpack with warmer, more dense snow overlying cooler, less dense, and more weakly bonded snow		
Wind Loading	**	<ul> <li>Winds have frequently been strong, intermittent, and variable, generally blowing from the S, SW, W, or NW</li> </ul>		
Recent or Persistent Buried Weak Layers	***	<ul> <li>Concern with weak layers immediately above and beneath buried melt-freeze ice crusts and with buried graupel dominated layers         <ul> <li>All these weak layers when present continue to fail in shear tests</li> </ul> </li> <li>Concern also remains with basal depth hoar as surface loading continues and mid-pack layers warm and become more plastic transferring stress to the base of the snowpack</li> </ul>		
Spring Wet Snow or Melt-Freeze	***	<ul> <li>Not applicable with reestablished cloud cover</li> <li>Can occur rapidly however with even just short clearing periods and rapid solar warming following a new snowfall</li> </ul>		
Wet Slab or Rain-on-Snow	*	Concern exists with free water movement imparting surface load and impacting buried weak layers		
Loose Snow	**	<ul> <li>Mild temperatures generally promoting snow consolidation</li> <li>Rapid solar warming following new snowfall or rain-on-snow however, is likely to produce surface snow instability</li> <li>These slides may serve as triggers of deeper slab instability</li> </ul>		
Other Concerns				

Weather Forecas	<u>Current NWS Backcountry Forecast</u>
<u>Summary</u>	<ul> <li>A weak Pacific storm system is expected Friday producing another round of snow to mid and higher terrain</li> <li>Weak high pressure should develop Saturday and Sunday producing warmer afternoon temperatures, possibly some of the warmest temperatures yet this season</li> <li>Return to cooler and moist conditions is possible by Monday</li> </ul>
Precipitation	•1-2-inches of new snow is possible each 12-hr period; Friday, Friday night, and Saturday
Temperature	Friday to Saturday night
Wind	Mild and shifting over the period to NE, E, and SE

## Avalanche Outlook • Expect a gradual downturn in dry-snow avalanche danger as conditions dry **Trend** • Expect an increase in the wet-snow avalanche danger Sunday as temperatures warm and skies become partly cloudy Wet snow instability associated with rapid solar warming on S'erly and W'erly aspects Can occur at all levels of the snowpack Concern Loose surface snow instability Wet slab failure deeper in the pack Full depth failure at the ground ALWAYS carry and know how to use your avalanche safety equipment Transceiver **Probe** 0 Shovel • Check out the site specific snow stability before jumping in or on any slope that has the potential to avalanche Comment Snow conditions are currently fairly complex • Be alert to the potential of rapid changes in weather and snow conditions • When assessing avalanche conditions focus on WIN - What's Important Now